




Aydınlatma Armatürleri
Luminaries




CAMLI SERİ / GLASS SERIE



3302-601-0200
Yuvarlak
Round style

3302-602-0200
Yuvarlak Kafesli
Round style with wire guard


E27 / 1x75 Watt



3301-601-0200
Oval
Oval Style


3301-602-0200
Oval Kafesli
Oval style with wire guard

E27 / 1x60 Watt



3304-601-0200
Bodrum
Bodrum style

E27 / 1x60 Watt




3304-602-0200
Bodrum Kafesli
Bodrum style with wire guard

E27 / 1x60 Watt




ŞEFFAF OPAL SERİ / CLEAR AND OPAL SERIE



3307-601-0200
Kare
Square style

E27 / 1x75 Watt



3305-601-0251
Oval Şeffaf
Oval style clear


3305-601-0252
Oval Opal
Oval style opal

E27 / 1x60 Watt



3305-602-0251
Oval Kafesli Şeffaf
Oval style with wire guard

3305-602-0252
Oval Kafesli Opal
Oval style opal with wire guard



3306-601-0251
Yuvarlak Şeffaf
Road style clear

3306-601-0252
Yuvarlak Opal
Road style opal


E27 / 1x75 Watt



3306-602-0251
Yuvarlak Kafesli Şeffaf
Round Style with wire guard


3306-602-0252
Yuvarlak Kafesli Opal
Round style opal wire guard






3311-630-0451
Yıldız Aplık
Star wall lamp

E27 / 1x60 Watt



3310-605-0400
Yıldız Yuvarlak Camlı
Star round style w/Glass diffuser

E27 / 1x100 Watt




3311-605-0451
Yıldız Yuvarlak Polikarbonat
Star round style w/ polycarbonate diffuser

E27 / 1x75 Watt



3311-604-0451
Yıldız Çemberli Yuvarlak Polikarbonat
Star round style w/polycarbonate diffuser






3317-651-0400
1x18 W. Elektronik Balastlı Std.
Standart w/ electronic ballast

G13 / 1x18 W



3317-651-0453
1x18W.Elekr.Balastlı Anah.
With switch & electronic ballast

3317-651-0454
1x18W.Elekr.Balastlı İpli
w/ electronic ballast & cord switch



3317-653-0400
1x36W.Elekr.Balastlı Std.
Standart w/ electronic ballast

G13 / 1x36 W




3317-653-0453
1x36W.Elekr.Balastlı Anah.
With switch & electronic ballast

3317-653-0454
1x36W.Elekr.Balastlı İpli
w/ electronic ballast & cord switch


STANDART BANT

STANDARD BAND




3315-640-0451
1x11W. Standart Şeffaf
Standard clear
1/24

G23 / 1x11 W




3315-640-0452
1x11W. Standart Opal
Standard opal
1/24



3315-643-0451
1x11W.Anahtarlı Prizli Şeffaf
Switch-socket outlet with clear
1/24

G23 / 1x11 W
2P + E




3315-643-0452
1x11W.Anahtarlı Prizli Opal
Switch-socket outlet with opal
1/24



NEMLİYER

 **METESAN LEXEL**

WATERFROOF IP 64



E27 / 1x100 Watt





3323-680-0400
Beyaz Gövde
White Body



DUY

 **METESAN LEXEL**

LAMPHOLDER




3321-672-0400
G-23 DUY (Polikarbonat)
G-23 polycarbonate lampholder



EL LAMBASI


 **METESAN LEXEL**

HAND LAMP



3322-675-0300
Seyyar El Lambası Tip 1
Mobil hand lamp type 1

Adet / Kutu	Pcs / Pack:	4
Kutu ağırlık (Kg)	Pack weight	2.3
Kutu / Koli	Pack / Box:	6



3322-677-1600
Seyyar El Lambası Tip 2
Mobil hand lamp type 2

Adet / Kutu	Pcs / Pack:	4
Kutu ağırlık (Kg)	Pack weight	1.45
Kutu / Koli	Pack / Box:	6



TS 8698
TS 44

EN 60598
EN 60598

TECHNICAL DATA

Cinsli Description	Sembol Symbol	Kodu Abbreviation	Açıklama Explanation	Watt Wattage	Duy tipi voltaşı Lamp holder base	Std. sapma [mm] Varying from standard	Çap Ø Ø [mm] Size Ø Ø [mm]	Uzunluk [mm] Lenght [mm]	Işık şiddeti Light - flux [lm]
Flamanlı ampul General service lamp		A 60 A 60 A 65 A 80	A—A-lamp with diameter 60=Ø	60 100 150 200	E 27		60 60 65 80	105 105 118 160	1380 1380 2220 3150
Kompakt floresan ampul Compact fluorescent lamp		TC	TC Tubular compact fluorescent lamp 9 11	5 7	G 23		27 167 237	107 137 600 900	250 400
		TC - D	D — Double ended 13 18 26	10 G 24 d-1 G 24 d-2 G 24 d-3	G 24 d-1		27 153 173 193	118 900 1200 180	600
		TC - L	L= Large (larger) 24 36	18	2G 11		38 340 435	245 1800 2900	1200
		TC-DD 140	DD= Double - D - form with diameter of square lamp	16 28	GR 8		140x140 205x205		1050 2050
Floresan ampul Fluorescent tube		T 25	T= Tubular fluorescent lamp with diameter 26= Ø	18 36	G 13		26	590 1200	1450 3450
Simit floresan ampul Tubular circl from fluorescent lamp		TR - 32	R= Tubular circled-form fluorecent lamp with diameter of tube	32	G 10q		32	Ø 311	

ULUSLARARASI KALİTE BELGELERİ İŞARETLERİ / INTERNATIONAL APPROVAL MARKS

TSEK



Türkiye / Turkey



Norveç / Norway



Belçika / Belgium



Yunanistan / Greece



Hollanda / Netherlands



Macaristan / Hungary



Almanya / Germany



İsviçre / Switzerland



İngiltere / England



Avusturya / Austria



İsveç / Sweden



İtalya / Italy



Danimarka / Denmark



Finlandiya / Finland



Rusya / Russia